



PRODUCT REPORT



COMPANY DETAILS

FMW Corp.

8th floor A8140, 191, Dongbaekjungang-ro
Giheung-gu
Gyeonggi-do, KR

PRODUCT SUMMARY

Super Critical rTG Omega Essence 1000

Batch /Lot #: BCM

Expiry Date: 23-Oct-2027

Direction: 1 capsule a day.



certifications@nutrasource.ca

Certifications
by **nutrasource**
Pharmaceutical and Nutritional Solutions



Certifications By



PRODUCT REPORT

Potency	Specification mg per cap	Batch Results mg per cap	IFOS Compliance
EPA	600	666	Yes
DHA	400	449	Yes
Total Omega-3	1000	1218	Yes

Purity, Safety & Cleanliness	Specification	Batch Results	IFOS Compliance
PCBs	<= 45 ppb	1.77 ppb	Yes
Dioxins and Furans	<= 1 ppt	0.343 ppt	Yes
Dioxin-Like PCBs	<= 1.5 ppt	0.207 ppt	Yes

Stability	Specification	Batch Results	IFOS Compliance
Acid Value	<= 3 mg KOH/g	0.37 mg KOH/g	Yes
Peroxide	<= 5 meq/kg	0.08 meq/kg	Yes
Anisidine	<= 20	9.85	Yes
TOTOX	<= 19.5	10.01	Yes

Heavy Metals	Specification	Batch Results	IFOS Compliance
Mercury	<= 0.1 ppm	<0.005 ppm	Yes
Cadmium	<= 0.1 ppm	<0.005 ppm	Yes
Lead	<= 0.05 ppm	<0.02 ppm	Yes
Total Arsenic	<= 0.1 ppm	<0.05 ppm	Yes

Comments
Radioactivity specification: < 50 bq/kg, Result: < 30 bq/kg.