



PRODUCT REPORT

IFOS Product Reports help you make an informed choice about the Omega-3 products you buy.



COMPANY DETAILS

Nutridom

www.nutridom.ca

647-726-1010

PRODUCT SUMMARY

Nutridom Omega 1200

Batch / Lot #: 23541113

Expiry Date: 11/2026

Direction: 2 capsules daily

TESTING RESULTS

Omega-3 concentration consistent with label
Passes IFOS oxidation standards
Passes IFOS PCB, PCDD/F standards
Passes IFOS heavy metal standards
Passes all IFOS testing categories



The IFOS Program is provided exclusively by Nutrasource

120 Research Lane, Suite 101 | Guelph, ON N1G 0B4 | certifications.nutrasource.ca

Certifications

by **nutrasource**
Pharmaceutical and Nutraceutical Services

 certifications@nutrasource.ca

 [CertNutrasource](https://www.instagram.com/CertNutrasource)

 [CertificationsByNutrasource](https://www.facebook.com/CertificationsByNutrasource)

 [CertNutrasource](https://www.twitter.com/CertNutrasource)



PRODUCT REPORT

IFOS Product Reports help you make an informed choice about the Omega-3 products you buy.

Category 1: Potency	Specification mg / cap	Batch Results mg / cap	IFOS Compliance
EPA	400	441	YES
DHA	200	296	YES
Total Omega 3	600	873	YES

Category 2: Purity, Safety & Cleanliness	Specification	Batch Results	IFOS Compliance
PCBs	<= 45 ppb	45.0 ppb	YES
Dioxins and Furans	<= 1 ppt	0.290 ppt	YES
Dioxin-Like PCBs	<= 1.5 ppt	1.27 ppt	YES

Category 3: Stability	Specification	Batch Results	IFOS Compliance
Acid Value	<= 3 mg KOH/g	0.66 mg KOH/g	YES
Peroxide	<= 5 meq/kg	0.31 meq/kg	YES
Anisidine	<= 20	7.70	YES
Total Oxidation	<= 19.5	8.32	YES

Category 4: Heavy Metals	Specification	Batch Results	IFOS Compliance
Mercury	<= 0.1 ppm	< 0.0050 ppm	YES
Lead	<= 0.1 ppm	< 0.020 ppm	YES
Inorganic Arsenic	<= 0.1 ppm	< 0.050 ppm	YES
Cadmium	<= 0.1 ppm	< 0.010 ppm	YES

Certifications
by **nutrasource**
Pharmaceutical and Nutraceutical Services